

BEAst Supply Status report



XML Guideline

Elements	St	Occurrence	Annotations	
StatusReport	M		Type: StatusReport Description: This business transaction is used to provide an arrival notice. Name: Status report	<i>Element</i>
xs:sequence	M	1..1	Type:	<i>ContentModel</i>
StatusReportNumber	M	1..1	Type: sddb:StatusReportNumber Length: 0 .. 17 Format: sddb:String17 Name: Status report number Example: 228833	<i>Element</i>
DocumentDateTime	M	1..1	Type: sddb:DocumentDateTime Pattern: \d{12} Format: sddb:DateAndShortTime Name: Document date time Example: 201212181024	<i>Element</i>
AssignmentStatus	O	0..1	Type: sddb:AssignmentStatus Length: 0 .. 3 Format: sddb:AssignmentStatus Name: Assignment status Example: 24	<i>Element</i>
			Code/Description	
			1 Arrived	
			13 Collected	
			21 Delivered	
			24 Departed	
			35 Expedited	
			72 Receipt acknowledged	
			74 Received	
			78 Released	
EventType	O	0..1	Type: sddb:EventType FractionDigits: 0 TotalDigits: 3 Format: sddb:EventType Name: Event type Example: 20	<i>Element</i>
			Code/Description	
			18 Damaged	
			20 Delayed	

St = Status: M=Mandatory, O=Optional

BEAst Supply Status report



XML Guideline

Elements	St	Occurrence	Annotations																									
			<table border="1"> <thead> <tr> <th>Code/Description</th> </tr> </thead> <tbody> <tr><td>88</td><td>Consignment split</td></tr> <tr><td>106</td><td>Refused delivery</td></tr> <tr><td>117</td><td>Missing</td></tr> <tr><td>210</td><td>Goods saknas</td></tr> <tr><td>211</td><td>Businesses closed</td></tr> <tr><td>234</td><td>Wrong address</td></tr> <tr><td>265</td><td>Unknown reason</td></tr> <tr><td>294</td><td>Refused, too late</td></tr> </tbody> </table>	Code/Description	88	Consignment split	106	Refused delivery	117	Missing	210	Goods saknas	211	Businesses closed	234	Wrong address	265	Unknown reason	294	Refused, too late								
Code/Description																												
88	Consignment split																											
106	Refused delivery																											
117	Missing																											
210	Goods saknas																											
211	Businesses closed																											
234	Wrong address																											
265	Unknown reason																											
294	Refused, too late																											
EstimatedDeliveryDateAndTime	M	1..1	Type: sddb:EstimatedDeliveryDateAndTime Pattern: \d{14} Format: sddb:DateAndTime Name: Estimated delivery date and time Example: 201406011530 <i>Element</i>																									
VehicleIdentityNumber	O	0..1	Type: sddb:VehicleIdentityNumber Length: 0 .. 35 Format: sddb:String35 Name: Vehicle identity number Example: XML123 <i>Element</i>																									
UnloadingInstructionCode	O	0..5	Type: sddb:UnloadingInstructionCode Length: 0 .. 3 Format: sddb:UnloadingInstructionCode Name: Unloading instruction code Example: Z50 <table border="1"> <thead> <tr> <th>Code/Description</th> </tr> </thead> <tbody> <tr><td>Z50</td><td>Tautliner truck with removable roof</td></tr> <tr><td>Z51</td><td>Flat lorry</td></tr> <tr><td>Z52</td><td>Tail lift</td></tr> <tr><td>Z53</td><td>Flat lorry with crane max 4 m</td></tr> <tr><td>Z54</td><td>Flat lorry with crane 4-9 m</td></tr> <tr><td>Z55</td><td>Flat lorry with crane more than 9 m</td></tr> <tr><td>Z56</td><td>Forklift</td></tr> <tr><td>Z57</td><td>Tautliner truck</td></tr> <tr><td>Z58</td><td>Short term storage (only to be applied for the specific shipment)</td></tr> <tr><td>Z59</td><td>Porterage</td></tr> <tr><td>Z60</td><td>Carry-in service</td></tr> <tr><td>Z61</td><td>Standard transport</td></tr> </tbody> </table>	Code/Description	Z50	Tautliner truck with removable roof	Z51	Flat lorry	Z52	Tail lift	Z53	Flat lorry with crane max 4 m	Z54	Flat lorry with crane 4-9 m	Z55	Flat lorry with crane more than 9 m	Z56	Forklift	Z57	Tautliner truck	Z58	Short term storage (only to be applied for the specific shipment)	Z59	Porterage	Z60	Carry-in service	Z61	Standard transport
Code/Description																												
Z50	Tautliner truck with removable roof																											
Z51	Flat lorry																											
Z52	Tail lift																											
Z53	Flat lorry with crane max 4 m																											
Z54	Flat lorry with crane 4-9 m																											
Z55	Flat lorry with crane more than 9 m																											
Z56	Forklift																											
Z57	Tautliner truck																											
Z58	Short term storage (only to be applied for the specific shipment)																											
Z59	Porterage																											
Z60	Carry-in service																											
Z61	Standard transport																											

St = Status: M=Mandatory, O=Optional

BEAst Supply Status report



XML Guideline

Elements	St	Occurrence	Annotations
UnloadingInstruction	O	0..5	<p>Code/Description Z62 Loaded on truck</p> <p>Type: sddb:UnloadingInstruction Length: 0 .. 35 Format: sddb:String35 Name: Unloading instruction Example: Avdragbart tak</p> <p><i>Element</i></p>
VehicleAttributeCode	O	0..5	<p>Type: sddb:VehicleAttributeCode Length: 0 .. 3 Format: sddb:VehicleAttributeCode Name: Vehicle attribute code Example: Z72</p> <p>Code/Description Z70 Vehicle maximum height in meter Z71 Vehicle maximum length in meter Z72 Vehicle maximum weight in ton Z73 Max axle load</p> <p><i>Element</i></p>
AttributeValue	O	0..5	<p>Type: sddb:AttributeValue Length: 0 .. 35 Format: sddb:String35 Name: Attribute value Example: 18</p> <p><i>Element</i></p>
ReferenceToDocument	M	1..unbounded	<p>Type: sddb:ReferenceToDocument Name: Document references</p> <p><i>Element</i></p>
xs:sequence	M	1..1	<p>Type: <i>ContentModel</i></p>
ProjectNumber	O	0..1	<p>Type: sddb:ProjectNumber Length: 0 .. 70 Format: sddb:String70 Description: Required for manual call off orders. Name: Project number Example: 6411-001</p> <p><i>Element</i></p>
FreightForwarderReferensNumber	O	0..1	<p>Type: sddb:FreightForwarderReferensNumber Length: 0 .. 70 Format: sddb:String70 Description: Not relevant for civil engineering and aggregate materials. Name: Reference for freight forwarders number</p> <p><i>Element</i></p>

St = Status: M=Mandatory, O=Optional

BEAst Supply Status report



XML Guideline

Elements	St	Occurrence	Annotations	
CallOffReference	M	1..1	Example: 177301432023 Type: sddb:CallOffReference Format: xs:string	<i>Element</i>
CallOffLineReference	M	1..1	Name: Call off reference Example: 457878 Type: sddb:CallOffLineReference Format: xs:string	<i>Element</i>
SerialShippingContainerCode	O	0..unbounded	Name: Call off line reference Example: 12 Type: sddb:SerialShippingContainerCode Pattern: \d{18} Format: sddb:SSCC Description: Not relevant for civil engineering and aggregate materials.	<i>Element</i>
BuyerNeB	M	1..1	Name: Serial Shipping Container Code Example: 173500538500000016 Type: sddb:BuyerNeB Description: One of T0008 and T6001 must be used.	<i>Element</i>
xs:sequence	M	1..1	Name: Buyer Type: sddb:Buyer	<i>ContentModel</i>
Buyer	O	0..1	Description: Identification with a GLN number. Type: sddb:Buyer Pattern: \d{13} Format: sddb:GLN	<i>Element</i>
PartyIdentifier	O	0..1	Description: Identification with a GLN number. Type: sddb:PartyIdentifier Example: 7381030000028 Length: 0 .. 35 Format: sddb:PartyIdentifier	<i>Element</i>
PartyName	O	0..1	Name: Partner Identifier Example: 7651235 Type: sddb:PartyName Length: 0 .. 35 Format: sddb:PartyName Name: Party name Example: Skoogs AB	<i>Element</i>

St = Status: M=Mandatory, O=Optional

BEAst Supply Status report



XML Guideline

Elements	St	Occurrence	Annotations	
Department	O	0..1	Type: sddb:Department Length: 0 .. 35 Format: sddb:Department Name: Department Example: Inköp	<i>Element</i>
SupplierNeB	M	1..1	Type: sddb:SupplierNeB Description: One of T0009 and T6001 must be used. Name: Supplier	<i>Element</i>
xs:sequence	M	1..1	Type:	<i>ContentModel</i>
Supplier	O	0..1	Type: sddb:Supplier Pattern: \d{13} Format: sddb:GLN Description: Identification with a GLN number. Name: Supplier Example: 7381030000032	<i>Element</i>
ID06	O	0..1	Type: sddb:ID06 Length: 0 .. 35 Format: sddb:String35 Name: Identification code ID06	<i>Element</i>
PartyIdentifier	O	0..1	Type: sddb:PartyIdentifier Length: 0 .. 35 Format: sddb:PartyIdentifier Name: Partner Identifier Example: 7652344	<i>Element</i>
PartyName	O	0..1	Type: sddb:PartyName Length: 0 .. 35 Format: sddb:PartyName Name: Party name Example: Träkompaniet AB	<i>Element</i>
Department	O	0..1	Type: sddb:Department Length: 0 .. 35 Format: sddb:Department Name: Department Example: Försäljning	<i>Element</i>
CarrierNeB	O	0..1	Type: sddb:CarrierNeB	<i>Element</i>

St = Status: M=Mandatory, O=Optional

BEAst Supply Status report



XML Guideline

Elements	St	Occurrence	Annotations	
			Description: One of T3208 and T6001 must be used.	
			Name: Carrier or forwarder	
xs:sequence	M	1..1	Type:	<i>ContentModel</i>
Carrier	O	0..1	Type: sddb:Carrier	<i>Element</i>
			Pattern: \d{13}	
			Format: sddb:GLN	
			Name: Carrier or forwarder	
			Example: 7391756123987	
PartyIdentifier	O	0..1	Type: sddb:PartyIdentifier	<i>Element</i>
			Length: 0 .. 35	
			Format: sddb:PartyIdentifier	
			Name: Partner Identifier	
			Example: 7689874	
PartyName	O	0..1	Type: sddb:PartyName	<i>Element</i>
			Length: 0 .. 35	
			Format: sddb:PartyName	
			Name: Party name	
			Example: Transportbolaget	
CarrierContact	O	0..1	Type: sddb:CarrierContact	<i>Element</i>
			Name: Carriers contact	
			Example: Ola Norman	
xs:sequence	M	1..1	Type:	<i>ContentModel</i>
PhoneNumber	O	0..1	Type: sddb:PhoneNumber	<i>Element</i>
			Length: 0 .. 25	
			Format: sddb:String25	
			Name: Phone number	
			Example: +4641445647	
SMSNumber	O	0..1	Type: sddb:SMSNumber	<i>Element</i>
			Length: 0 .. 25	
			Format: sddb:String25	
			Name: SMS number	
			Example: +4641445647	
ID06	O	0..1	Type: sddb:ID06	<i>Element</i>
			Length: 0 .. 35	
			Format: sddb:String35	
			Name: Identification code ID06	

St = Status: M=Mandatory, O=Optional

BEAst Supply Status report



XML Guideline

Elements	St	Occurrence	Annotations
----------	----	------------	-------------

St = Status: M=Mandatory, O=Optional